

HARVEST CATALOGUE

 **JOHN DEERE**

**PARTS, EQUIPMENT,
SUPPLIES AND MORE**
OFFERS EXPIRE AUGUST 31, 2016
PRICES SUBJECT TO CHANGE WITHOUT NOTICE



AH147909 /
GENUINE JOHN DEERE
PICK UP BELT / \$289.00
SEE INSIDE FOR MORE



MAYBE YOU THINK THAT OLD SHOP
RAG OF YOURS IS DOING THE TRICK,
BUT LOOK AT IT - IT'S ALREADY DIRTY.
START FRESH EACH TIME WITH JD SHOP
TOWELS / \$16.95 SEE INSIDE FOR MORE

TOLL FREE 1.877.553.3373 prairiecoastequipment.com



JOHN DEERE

PRAIRIECOAST
equipment

PERFORM BETTER



HARVEST MOBILE

Harvest Mobile works directly with your iPad™ to deliver in-cab visuals of mapping layers such as ground speed, wet yield, dry yield, and moisture. You can see exactly what's going on in the field and view machine settings at a glance. Harvest Mobile simplifies the Interactive Combine Adjustment (ICA) capabilities of your combine. With ICA, machine adjustments can be quickly and easily made so you can dial in your combine's performance in real time.

NUMBER	DESCRIPTION	APPLICATION	NOW
BPF11089	Harvest Mobile S-Series Combine Installation Kit MY15. Includes wireless server connector harness and bracket.	MY15 Final Tier 4 S-series combines.	\$241.12
BPF11088	Harvest Mobile S-Series Combine Installation Kit MY12/13/14. Includes wireless server connector harness and bracket.	MY14, MY13, and MY12 S-series combines.	\$278.80

PRAIRIECOAST DIFFERENCE

We are committed to making sure you get the most out of your equipment with trustworthy maintenance, optimization advice, and access to the latest technological advances.

MOVE FULL SPEED AHEAD WITH JOHN DEERE BEHIND YOU.

Whether it's mud, muck, or other adverse harvest conditions, you can forge ahead with a 2-Speed, 4-Wheel Drive Conversion Kit from John Deere. You'll benefit from increased traction and ground propulsion by equipping your combine with OEM parts that feature:

- 2294 cc motors*
- New wheel angle sensor components
- XHD axle housing and extensions

Designed for field conversion, your kit install also includes calibration of your AutoTrac™ system.

*S650-S690 Combines



CALL OR STOP BY TODAY FOR A QUOTE OR MORE INFORMATION.



NEW UNLOADING AUGER BOOT

The new unloading auger boot on newer model combines is now available as a retrofit for all high-unloading rate systems (3.2/3.8 bu. per second) regardless of model. This one-piece design extends time until blowoff, reducing downtime while adding 9 inches of reach.

NUMBER	DESCRIPTION
HXE71069	All HUR (3.2/3.8 bps) unloading systems

[SEE US FOR PRICING](#)



ADDITIONAL GRAIN TANK SENSOR

The fast, easy way to tell if your grain tank is full when harvesting on sidehills. Mounting hardware and clamps included.

NUMBER	DESCRIPTION
BH78464	9450, 9550, 9550 Sidehill, 9560, 9650 CTS, 9660 CTS, and 9660 Combines
BH81598	9650, 9750, 9060 Series STS, and 9070 Series STS Combines
BXE10270	S Series Combines

[SEE US FOR PRICING](#)

IN-CAB MOBILE DEVICE MOUNTING

Enjoy hands-free access and improved viewing of your iPad®, iPhone®, or other mobile device from the seat of your cab. These mounting brackets are adjustable providing easy access without interfering with visibility or machine controls.

NUMBER	DESCRIPTION
BXE10479	Ram X-Grip® tablet mount
BXE10477	Mobile mounting bar (MY2014 and newer)
BXE10480	Mobile mounting bar (MY2012-MY2013)

[SEE US FOR PRICING](#)

CROP DIVIDER EXTENSIONS

These new crop divider extensions for 600FD* headers knock down significantly less crop, enabling the head to pick up more crop on subsequent passes.

NUMBER	DESCRIPTION
AXE35802	Left-hand extension
AXE35801	Right-hand extension

*Not available for 645FD.

[SEE US FOR PRICING](#)

REEL TINE FLIP-OVER KIT

Reduce wrapping of crop material in tough, wet, viney crops (such as soybeans, peas, straight-cut edible beans, and canola) with the reel tine flip-over kit, which also increases visibility to the front of the draper.

NUMBER	DESCRIPTION
BXE10262	625D, 630D, and 635D
BXE10263	640D
BXE10760	630FD and 635FD
BXE10761	640FD and 645FD

[SEE US FOR PRICING](#)

HEADER HEIGHT SENSORS FOR RIGID MODE

This height-sensing bundle for 620F, 622F, 625F, 630F, and 635 HydraFlex™ Platforms adapts ground-contacting sensors for use when the flex cutterbar is locked into the rigid position. For use with 50, 60, 70, and S Series Combines.

NUMBER	APPLICATION
BXE10119	MY11 and newer 600 Series Flex Platforms

[SEE US FOR PRICING](#)



AUTOTRAC™ ROWSENSE™

Increase productivity and reduce operator fatigue when harvesting corn. With the help of GPS and mechanical row sensors, you'll get a precise and efficient, hands-free row guidance system. Visit www.StellarSupport.com for compatibility information.

[SEE US FOR PRICING](#)

GT-5300 GRAIN MOISTURE TESTER

The GT-5300 provides all the benefits of our MoistureMatch Grain Moisture Tester (SW20300) and more. Featuring cutting-edge technology, the GT-5300:

- Automatically averages a selectable number of tests
- Provides the actual moisture-limit percentage
- Stores user calibration and averages for each grain
- Offers a larger, illuminated LCD display, and much more!

NUMBER	DESCRIPTION	NOW
SW5300	Grain Moisture Tester	\$433.54

GT-30300 GRAIN MOISTURE TESTER NEW - HOT GRAIN CAPABILITES UP TO 160°F

The GT-30300 Grain Moisture Tester really measures up. Featuring the latest technology, the SW30300:

- Provides temperature range between 40°-160°F
- Measures moisture and test weight (no pre-weighing)
- Provides moisture range between 6%-45%
- Tests 16 grains (program space for over 40 grains)
- Connects to diagnostics via USB
- Features large back-lit LCD screen and fonts
- Repeatability and accuracy $\pm 0.2\%$ in normal moisture range
- Comes with 2-year limited warranty

NUMBER	DESCRIPTION	NOW
SW30300	GT-30300 Grain Moisture Tester	\$731.30

COMBINE MOISTURE SENSOR KITS

Monitor grain moisture content as you harvest, without the need to stop and sample the crop with Combine Moisture Sensor kits. Easily mounted in the grain tank, moisture sensors transmit results directly to the GreenStar™ display in your cab, allowing you to determine when conditions are unsuitable for combining and whether the crop will need additional drying.

[SEE US FOR PRICING](#)

SICKLE PARTS FOR MOCO, AUGER PLATFORMS, DRAPERS AND MOWERS

Dura-Cut™ Sickle Sections:

- Made with high carbon for rugged strength.
- Cutting edges are heat-treated for longer cutting life.

NUMBER	DESCRIPTION	NOW
Sections:		
E76370	Overserrated Dura-Cut, chrome	\$2.50
E76371	Underserrated Dura-Cut, chrome	\$2.75
E76372	Smooth Dura-Cut, black	\$2.25
E76373	Underserrated Dura-Cut, black	\$1.75
E87935	Overserrated, 10-tooth, chrome	\$4.00
E88911	Overserrated, 10-tooth, counter-sunk top, chrome	\$4.75
E88912	Overserrated, 10-tooth, counter-sunk bottom, chrome	\$4.75
E91025	Overserrated, 7-tooth, chrome	\$3.75
E90948	Overserrated, 7-tooth, counter-sunk top, chrome	\$5.25
E90949	Overserrated, 7-tooth, counter-sunk bottom, chrome	\$5.75
E90571	Overserrated, hard black, chrome	\$3.50
E90572	Overserrated, hard black, counter-sunk top, chrome	\$4.25
E90573	Overserrated, hard black, counter-sunk bottom, chrome	\$4.25
Sickle guards:		
E82559	Two-tine	\$20.25
E62000	Two-tine	\$25.00
E88909	Two-tine	\$20.75
E88910	Two-tine	\$25.00
E59625	Non-clog	\$24.00
E88923	Non-clog	\$19.50
E72428	Regular with wear bar	\$23.25
AE36136	Single-tine	\$20.00
AE36135	Single-tine outside	\$28.00
Hold-down clips:		
AE57172	Hold-down clips	\$13.75
AE57173	Hold-down clips	\$17.25



SICKLES

NUMBER	DESCRIPTION	APPLICATION	NOW
Overserrated:			
AE48663	7 ft.	1207 and 1217	\$365.00
AE48652	12 ft.	1380 and 1424	\$436.50
AE48654	14 ft.	1380 and 1424	\$493.00
Sickles:			
AE49261	7 ft., left-hand, bolt on	1600	\$428.75
AE48473	7 ft., right-hand, bolt on	1600	\$428.75
AE49692	8 ft., left-hand, bolt on	1600	\$476.50
AE48724	8 ft., right-hand, bolt on	1600	\$444.75
AE48664	9 ft.	1209 and 1219	\$316.00
AE49254	9 ft.	1209 and 1219	\$420.75
AE49203	9 ft., bolt on	720 and 820	\$384.00
Underserrated:			
AE48661	7 ft.	1207 and 1217	\$364.75
AE48662	9 ft.	1209 and 1219	\$389.00
AE52064	9 ft., bolt on	1209 and 1219	\$432.50



PLATFORM PARTS

NUMBER	DESCRIPTION	MODEL	NOW	NUMBER	DESCRIPTION	MODEL	NOW
Dura-Twin™ 4-in. sickle sections:				Hold-down clips:			
H153329	Fine-tooth, bolt-on	600D, 600F, 600R, and 900D	\$4.50	H229538	Short-long-short, blunt tip, high wear	600F	\$48.00
H163131	Coarse-tooth, bolt-on	600D, 600F, 600R, and 900D	\$4.50	H229537	Long-short-long, blunt tip, high wear	600F	\$44.25
H215064	Coarse-tooth, short/long, no-till, bolt-on	600D, 600F, 600R, and 900D	\$4.50	H229540	Short-long-short, long tip, high wear	600D, 600R, and 900D	\$45.25
H215025	Fine-tooth, short/long, no-till, bolt-on	600D, 600F, 600R, and 900D	\$5.50	H229539	Long-short-long, long tip, high wear	600D, 600R, and 900D	\$45.25
Dura-Lite™ 3-in. sickle sections:				Wear plate and repair kits:			
H207929	Fine-tooth, bolt-on	900, 900F, and 900R	\$2.50	AH218547	Standard, adjustable	600D, 600F, 600R, and 900D	\$10.75
H207930	Coarse-tooth, bolt-on	900, 900F, and 900R	\$2.50	AH218548	High, adjustable	600D, 600F, 600R, and 900D	\$10.75
Dura-Cut™ 3-in. sickle sections:				200, 900, 900F, and 900R Series Platforms; and 918 and 920 Draper Platforms:			
H213799	Fine-tooth, bolt-on	900, 900F, and 900R	\$2.25	H205318	Composite auger finger		\$12.75
H213800	Coarse-tooth, bolt-on	900, 900F, and 900R		H179000	Guide-Compositeauger finger		\$5.75
Other sickle sections:				AH202965			
H168316	Section, rocky conditions, bolt-on, 3-in.	900, 900F, and 900R	\$3.50	KIT - Steel-to-composite-finger conversion (8)			\$158.75
H213805	Riveted, 3-in.	200 and 218 Drapers	\$2.25	H162662	Steel auger finger		\$10.00
AH209438	KIT - Hardware for 25 sections	900, 900F, and 900R	\$26.75	H87044	Guide - Steel auger finger		\$3.00
AXE14368	KIT - Hardware for 25 sections	600D, 600R, 600F, and 900D	\$71.75	AH172016	KIT - Steel fingers (2), hardware, caps, guides, bearing supports		\$74.00
3-in. knife guards:				AH206160			
H145791	Standard, single heat-treated, green	900, 900F, and 900R	\$16.50	KIT - Steel fingers (8), hardware, caps, guides			\$129.75
H171031	Carburized, black	900, 900F, and 900R	\$19.75	600F and 600R Series Platforms:			
H153719	Dura-Guard™, double heat-treated, silver	900, 900F, and 900R	\$19.25	AH214869	KIT - Composite auger fingers (10)		\$129.75
H113571	Double-bar for rocky conditions, green	900, 900F, and 900R	\$17.50	AH214868	KIT - Steel auger fingers, retainers, pins (10 each)		\$159.75
4-in. knife guards:							
H213507	Short-long-short, blunt tip, black	600F	\$30.00				
H213398	Long-short-long, blunt tip, black	600F	\$30.00				
H213508	Short-long-short, long point, black	600D, 600R, and 900D	\$30.50				
H213405	Long-short-long, long point, black	600D, 600R, and 900D	\$30.75				



900R, 900F, 600R, AND 600F SERIES PLATFORMS; AND 900D AND 600D DRAPER PLATFORMS:


NUMBER	DESCRIPTION	NOW
Reel fingers:		
AH166489	Full bat, fingers (10)	\$47.00
AH166490	LH bat, fingers (10)	\$47.00
AH166491	RH bat, fingers (10)	\$47.00
AH166492	No bat, fingers (10)	\$47.00
H207933	This special reel finger snaps onto the existing reel finger, helping to clear the cutterbar of trash buildup and improve the sweeping action of the reel.	\$7.25
Knife drive belts :		
H202646	900 Rigid	\$95.00
H202647	900 Flex	\$98.00
H220884	600 Flex	\$91.75
H221324	600 Rigid, extended cutterbar	\$95.25
H166077	900D Draper	\$95.75
AH232955	600D Draper	\$148.00

POLY SKID SHOES FOR PLATFORMS

NUMBER	DESCRIPTION	PLATFORM SERIES	NOW
H215075	LH (use with H215074)	600 Series Flex	\$104.00
H170502	LH (use with H203906)	600 Series Flex	\$103.50
H208626	LH	600 Series Flex	\$24.75
H205344	Float arm, center plates	600 Series Flex	\$27.00
H170501	RH, rear	600 Series Flex	\$45.25
H209696	RH, front	600 Series Flex	\$31.25
HXE59506	LH	635FD, 640FD	\$157.75
HXE10959	Float arm, center plates	635FD, 640FD	\$42.50
HXE14570	Float arm, center plates	635FD, 640FD	\$90.00
HXE59505	RH	635FD, 640FD	\$157.75
AH144172	18-ft. kit	200, 900, and 900 Flex (-684999)	\$791.75
AH201513	18-ft. kit	900 Flex (685000-)	\$839.00
AH144173	20-ft. kit	200, 900, and 900 Flex (-684999)	\$913.00
AH201514	20-ft. kit	900 Flex (685000-)	\$913.00
AH144174	22-ft. kit	200, 900, and 900 Flex (-684999)	\$950.75
AH201515	22-ft. kit	900 Flex (685000-)	\$1000.25
AH144176	25-ft. kit	200, 900, and 900 Flex (-684999)	\$1063.00
AH201516	25-ft. kit	900 Flex (685000-)	\$1181.75
AH144177	30-ft. kit	200, 900, and 900 Flex (-684999)	\$1225.25
AH201517	30-ft. kit	900 Flex (685000-)	\$1329.00



H207933 WIDE FINGER



LITENING BOLT™ SECTIONALIZED KNIVES

Unlike long cutterbars, our sectionalized knives are easy to transport in the bed of your truck. Plus, splice and joint kits allow for lightning-fast assembly and an extra-strong hold; no drilling required. Available for 3-inch and 4-inch knife drive systems.

200, 900, 900F, AND 900R SECTIONALIZED KNIVES

NUMBER	COARSE/FINE TOOTH	SECTION TYPE	16 FT.	18 FT.	20 FT.	22 FT.	24 FT.	25 FT.	30 FT.	NOW
9-ft. section with head:										
KXE10215	Coarse	Dura-Lite™	1	1	1	1	1	1	1	\$366.00
KXE10216	Coarse	Dura-Cut™	1	1	1	1	1	1	1	\$362.50
KXE10214	Fine	Dura-Lite™	1	1	1	1	1	1	1	\$357.50
9-ft. section without head:										
AH213829	Coarse	Dura-Lite™	1	1	1	1	2	2	2	\$233.00
AH213839	Coarse	Dura-Cut™	1	1	1	1	2	2	2	\$223.00
AH213834	Fine	Dura-Lite™	1	1	1	1	2	2	2	\$217.50
2-ft. 9-in. section:										
AH213830	Coarse	Dura-Lite™		1	1		1			\$66.50
AH213835	Fine	Dura-Lite™		1	1		1			\$66.50
4-ft. 9½-in. section:										
AH213831	Coarse	Dura-Lite™					1		1	\$121.54
AH213841	Coarse	Dura-Cut™					1		1	\$121.54
AH213836	Fine	Dura-Lite™					1		1	\$121.54
End kit:										
AH213832	Coarse	Dura-Lite™	1	1	1	1	1	1	1	\$38.00
AH213842	Coarse	Dura-Cut™	1	1	1	1	1	1	1	\$38.75
AH213837	Fine	Dura-Lite™	1	1	1	1	1	1	1	\$40.25

To read this chart, find your platform length at the top. Choose either Dura-Lite or Dura-Cut sickle sections. Then choose between coarse- or fine-tooth sickle sections. To build the correct cutterbar length, order the quantity of each part number shown in the column that represents your platform length.

900D DRAPER DURA-TWIN SECTIONALIZED KNIVES

NUMBER	TEETH PER INCH	25 FT.	30 FT.	36 FT.	NOW
Head section:					
AH215256	14	1	1	1	\$507.50
Middle section (reinforced):					
AH219604	14	1	2		\$372.75
End section:					
AH155520	14	1			\$315.25
AH155557	14		1		\$177.00
AH166963	14				\$38.50
Splice kit:					
AH205715	14	2	3		\$34.50

PRAIRIECOAST DIFFERENCE

We are committed to helping you perform better with 24/7 on-call support with our fleet of 20 Mobile Service Technicians, along with extended store hours during seeding and harvest seasons.

600R AND 600F DURA-TWIN™ SECTIONALIZED KNIVES

NUMBER	COARSE/FINE TOOTH	18 FT.	20 FT.	22 FT.	25 FT.	30 FT.	35 FT.	NOW
Head section:								
AH213012	Coarse	1	1	1	1	1	1	\$582.50
AH218357	Coarse, S/L*	1	1	1	1	1	1	\$598.00
AH213011	Fine	1	1	1	1	1	1	\$638.50
Middle section:								
AH218389	Coarse	1	1	1	1	2	2	\$419.50
AH218388								\$434.75
AH219604	Fine	1	1	1	1	2	2	\$372.75
End section:								
AH204247	Coarse						1	\$376.75
AH159567	Coarse					1		\$176.75
AH164035	Coarse				1			\$330.75
AH166904	Coarse			1				\$200.00
AH159216	Coarse		1					\$98.50
AH168298	Coarse	1						\$41.75
AH168216	Coarse							\$284.50
AH218362	Coarse, S/L*						1	\$408.75
AH218361	Coarse, S/L*					1		\$192.50
AH218360	Coarse, S/L*				1			\$346.00
AH218382	Coarse, S/L*			1				\$215.25
AH218380	Coarse, S/L*		1					\$113.75
AH204246	Fine						1	\$346.00
AH155557	Fine					1		\$176.75
AH155520					1			\$315.25
AH166900	Fine			1				\$184.50
AH155555	Fine		1					\$109.25
AH166963	Fine	1						\$38.50
AH168212	Fine							\$261.50
Splice kit:								
AH205918	Coarse	2	2	2	2	3	3	\$40.75
AH218363	Coarse, S/L*	2	2	2	2	3	3	\$45.50
AH205715	Fine	2	2	2	2	3	3	\$34.50

*S/L = Short/Long knife section for no-till



ELEVATOR CHAIN

NUMBER	MODEL/TYPE	NOW
AH87747	6600, 6620, 7700, 7720, and 8820 (-464350)	\$306.00
AH134818	8820 (464351-)	\$359.50
AH162441	9400 and 9410 CTS and CTS II	\$458.00
AH162442	9600 and 9610	\$451.00
AH162058	9050 and 9060 Walker and CTS	\$620.25
AXE28559	9650, 9750, 9660, 9760, 9860, 9570, 9670 STS, S550, S660, and S670	\$498.25
AH148021	9050 Series STS, 95-9860 STS, 95-9870 STS, S550, S660, and S670	\$295.00
AXE28560	9770, 9870 STS, S670, and S680	\$939.25
AXE16681	S690	\$1174.50
AXE17053	S680 and S690	\$94.50
AXE10556	S680 and S690	\$416.75

STRAW CHOPPER BLADES

NUMBER	ITEM/DESCRIPTION	MODEL/TYPE	NOW
AH171588	Straight blade*	20 and 00** Series Walkers	\$56.50
AH205910	Straight blade	95-9600**, 95-9610, 95-9650, 9660, CTS**, 50 Series STS, and 96-9860 STS	\$69.00
AH205909	Paddle blade	95-9600**, 95-9610, 95-9650, 95-9660, CTS**, 50 Series STS, and 96-9860 STS	\$122.75
AH225937	Wing blade	9070 Series STS	\$149.00
AH225940	Scoop blade	9070 Series STS	\$225.75
KXE10256	Straight knife	S Series	\$316.00
KXE10255	Wing blade	S Series	\$319.00
H215004	Stationary knife bank blade	STS, Walkers, and S Series	\$10.25

* Includes blades (6), bushings, and hardware.

† Visit www.JDParts.Deere.com or see us for more details on serial-number breaks and specific models.

PRAIRIECOAST DIFFERENCE

With 40 John Deere University-trained Parts Technicians across our 9 branches, we are committed to making sure you get the most out of your equipment so you can perform better every day.

FEEDERHOUSE CHAIN

Use John Deere-recommended feederhouse chrome-pin chain. It offers more than 30-percent longer wear than regular chain. Plus, John Deere chain can be adjusted from both sides of the feederhouse.

NUMBER	MODEL/TYPE	CHAIN/SLATS	NOW
AH207777	9400, 9500, 9410, 9510, 9450, 9550, 9560, CTS, CTS II, 9650 CTS, and 9660 CTS	34 slats	\$1375.50
AH207778	9600, 9610, 9650, and 9660	51 slats	\$1967.50
AH224926	9650 STS, 9750 STS, 9660 STS, 9760 STS, and 9860 STS	30 slats	\$1385.50
AH217633	9660 STS, 9760 STS, and 9860 STS	30 slats	\$1615.50
H206436	9400, 9500, 9410, 9510, 9450, 9550, 9560, 9650 STS, 9750 STS, 9660 STS, 9760 STS, CTS, CTS II, 9550 CTS, and 9660 CTS	Narrow-body slat	\$43.00
H207776	9600, 9610, 9650, and 9660	Wide-body slat	\$36.75
AH231006	9570 STS and S550		\$1472.75
AXE24307	S660, S670, S680, and S690		\$2495.00

Vist www.JDParts.JohnDeere.com for a full listing of feederhouse chain.

STS AND S SERIES PARTS AND KITS

NUMBER	DESCRIPTION	MODEL/TYPE	NOW
H166689	Wear strips, feed accelerator	Smooth	\$29.75
H165407	Wear strips, feed accelerator	Serrated	\$24.75
H201914	Wear strips, feed accelerator	Swept back	\$38.75
AH167739†	KIT - Threshing element	Standard, smooth (set of 3)	\$375.50
AH170608†	KIT - Threshing element	Standard, rice, smooth (set of 3)	\$377.25
AH216677†	KIT - Threshing element, rear*	Rifled, grain/corn (3)	\$340.75
AH216678†	KIT - Threshing element, rear*	Rifled, high-wear, grain/corn (3)	\$492.75
AH216572†	KIT - Threshing element, rear*	Rifled, rice (3)	\$423.50
AH216573†	KIT - Threshing element, rear*	Rifled, high-wear, rice, STS (3)	\$617.75
AH208554†	KIT - Separator tine	Standard (set of 3)	\$210.75
AH209123†	KIT - Separator tine	High-wear (set of 3)	\$266.75
AH234509	KIT - Wear strips, discharge beater	9660, 9760, 9670, 9770 STS, S660, S670, S680, and S690	\$91.75

* Fits rear of STS Bullet Rotor™ and all of standard rotor.

† Fits S660, S670, S680, and S690 with TriStream™ Rotor.



HELICAL BAR

SMALL GRAIN CONCAVE

The Helical Bar concave is often the solution when more aggressive threshing is needed. Since the cross bars and wires run diagonally in a helical bar concave, material entering the rotor strikes a helical bar concave at a right angle. This prevents whiteheads and unthreshed grain. This innovative concave can be installed in the front concave position when encountering tough threshing grain. If even more aggressive results are desired the middle concave can be replaced with a helical bar concave as well.

SEE US FOR PRICING

CONCAVES

NUMBER	ITEM/MODEL	NOW
STS and S Series:		
AXE28812	Small-wire, front	\$1394.75
AXE28958	Small-wire, mid/rear	\$1288.25
AXE28960	Extended wear, small-wire, front	\$2327.50
AXE28961	Extended wear, small-wire, mid/rear	\$1901.50
AXE28962	Large-wire, front	\$1270.00
AXE28964	Large-wire, mid/rear	\$1163.75
AXE28965	Extended wear, large-wire, front	\$2032.75
AXE28966	Extended wear, large-wire, mid/rear	\$1873.00
AH205261	Round-bar, front	\$1305.25
AXE28957	Round-bar, mid/rear	\$1147.00
AH210894	KIT-60 Series Latch	\$71.50

* Does not fit 9560 STS or S550 Combines.

** Required for first-time installation on 50 Series STS.

AUGERS

NUMBER	DESCRIPTION	MODEL/TYPE	NOW
AH124852	Vertical unloading	94-9600, CTS, 94-9610, and 94-9650	\$840.00
AXE12921	Vertical unloading	96-9860 STS and 96-9870 STS	\$1578.75
AXE18070	Vertical unloading, high unload rate, high wear	S660-S690	\$1540.00
AH164070	Vertical unloading, regular unload rate, high wear	50 Series STS, 95-9660 STS, and 95-9670 STS	\$1132.75
AXE17156	Vertical unloading, regular unload rate, high wear	S660-S690	\$938.75
AH146840	Vertical unloading, regular unload rate, high wear	50 Series STS, 95-9660 STS, and 95-9670 STS	\$683.25
AXE17155	Vertical unloading, regularunload rate, standard wear	S660-S690	\$823.50
AH112435	Horizontal unloading (inner)	8820, 94-9600, CTS, 94-9610, 94-9650, 95-9660, 50 Series STS, 9560 STS, and 9570 STS	\$989.50
AXE56290	Horizontal unloading (inner)	96-9860 STS, 96-9870 STS, and S660-S690	\$2076.50
AH143731	Horizontal unloading (outer)	6620, 94-9600, CTS, 94-9610, 94-9650, 9560, and 50 Series STS	\$1302.75
AH203021	Horizontal unloading (outer)	96-9860 STS, 96-9870 STS, and S660-S690	\$1875.00
AH218485	Clean grain loading	94-9650, CTS, 95-9660, 96-9860 STS, 9670 STS, 9770 STS, S660, and S670	\$921.75
AH233419	Clean grain unloading	S670-S690	\$1218.75
AXE18077	Grain tank, cross front	94-9500, 94-9510, CTS, 94-9550, 9560, 50 Series STS, 96-9760 STS, 95-9670 STS, S550, and S660	\$1198.25
AXE18081	Grain tank, cross front, high unload rate, high wear	S660-S690	\$1313.75
AXE18078	Grain tank, cross rear, regular unload rate, high wear	94-9500, 94-9510, CTS, 94-9550, 9560, 50 Series STS, 96-9760 STS, 95-9670 STS, S550, and S660	\$1276.50
AXE18082	Grain tank, cross rear, high unload rate, high wear	S660-S690	\$1313.75

Replacing worn belts makes good dollars and sense




You can see from the diagrams below that many combine components rely on belts to perform their functions. When you maximize the power a belt provides, you increase your machine's productivity. Which is why replacing worn belts is so critical.

If worn belts are not identified and replaced in time, feeding, threshing, and separating performance can be affected. For example, when cylinder speed increases to compensate for worn components, it can cause incomplete threshing or grain damage. Ultimately, worn belts can lead to equipment failure, downtime, and expensive repairs.

See us for the right belts for your machine.

Good belt drive maintenance involves:

- Removing old belts, inspecting all components for wear and damage
- Installing new John Deere Original Equipment Manufacturer (OEM) belts. Our combine engineers test and select belts for maximum performance. (Be sure to replace with the correct length, material, and pitch angle)
- Checking belts for proper alignment and tension
- Replacing all multiple-belt-drive belts at the same time with a John Deere OEM set



- (1) Feederhouse
- (2) Header and reel pump
- (3) Unloading auger system
- (4) Variable rotor drive
- (5) Countershaft, discharge beater, and chopper
- (6) Straw chopper
- (7) Discharge beater

- (8) Alternator
- (9) Engine fan
- (10) Rotary screen drive (engine side)
- (11) Rotary screen drive (screen side)
- (12) Clean grain elevator
- (13) RH jackshaft (rear)
- (14) RH jackshaft (front)

- (15) Tailings auger and elevator
- (16) Cleaning fan
- (17) Shoe, fan jackshaft, and conveyor augers
- (18) Feed accelerator
- (19) Overshot beater
- (20) Tailings rethresher
- (21) Vacuum fan drive



COVERAGE LIKE NO OTHER

INTRODUCING THE BEST-IN-CLASS 6-YEAR POWERTRAIN WARRANTY, AVAILABLE ON ALL COMPACT UTILITY TRACTORS. THIS WARRANTY COMES STANDARD WITH NO EXTRA COST. WE'VE GOT YOU COVERED.

CALL US TOLL FREE: 1-877-553-3373

BEST-IN-CLASS
6-YEAR
POWERTRAIN
WARRANTY
ON ALL COMPACT UTILITY TRACTORS





PROFESSIONAL GRADE SERVICE & SUPPORT

Our factory-trained Service Technicians are committed to helping you get the most out of our equipment every day.

How committed? Extended store hours during seeding and harvest seasons, 24/7 on-call support and a fleet of 20 Mobile Service Technicians are a just a few of the ways that PrairieCoast equipment helps you Perform Better.



ENJOY PCI PERFORMANCE

EXPERT INSPECTIONS FOR
HARVESTING / HAY & FORAGE / SEEDERS /
SPRAYERS / TURF EQUIPMENT / TRACTORS



FORWARD THINKING MEANS MORE UPTIME AND BETTER RETURN.

It's more than just an inspection. It's the best way for you to protect your investment, maximize resale value and ensure you're ready for optimal performance next season.

Enjoy no payment or interest, plus earn Airmiles.

**WATCH FOR EARLY BOOKING
SAVINGS THIS FALL.**

PRAIRIECOASTEQUIPMENT.COM

WHAT'S INCLUDED?

- Engine and electrical tests (if applicable)
- Check hydraulic operation (if applicable)
- Power train check (if applicable)
- Check belts and pulleys
- Test operator controls
- Clean and level mower deck (if applicable)
- Inspect all safety features
- Inspect cutting blades
- Grease all fittings
- Complete external power wash
- Provide written quote for all required repairs
- AND MUCH MORE!

+ Add more power and precision to your round baler with attachments

You don't have time to waste. You need practical, efficient shortcuts. That's where John Deere attachments come in. They make your hard-working baler perform even better. They're a strong investment in your growing success, too—adding real value to your round baler.



1 Drawbar shield

A drawbar shield helps prevent windrow bunching that can occur when the drawbar contacts heavy windrows.

BE32262 – 6, 7, 8, and 9 Series
NOW \$73.75

2 Deflector curtains

Curtains fit only on balers with the MegaWide™ pickup to deflect objects that may be thrown forward by the MegaTooth™ teeth. The curtains can be easily removed for pickup service.

BE30004 – (4' Wide Balers) 6, 7, 8, and 9 Series
NOW \$384.25

BE30005 – (5' Wide Balers) 6, 7, 8, and 9 Series
NOW \$491.25

3 Corncob filler plates

Pickup filler plates are now available for MegaWide pickups. The filler plates are designed to prevent corncobs from becoming lodged in pickup strippers. Adding filler plates to a MegaWide pickup will ultimately improve pickup tooth and rotor tine reliability.

BE32310 – 6, 7, 8, and 9 Series (MegaWide Pickups)
NOW \$496.00

4 Cornstalk compressor rack

The cornstalk compressor rack is designed to improve the feeding of fluffy cornstalk windrows into the baler. It offers a full complement of compressor rods and utilizes a solid-steel shaft to attach the compressor rods.

BE32257 – (5' Wide Balers) 6, 7, 8, and 9 Series
NOW \$827.25

5 Side-sheet enhancement kit

Use the side-sheet enhancement kit in extremely abrasive crops and field conditions to add more service life to 7 or 8 Series Round Balers with worn side sheets.

BE32101 – 468, 568, 469, and 569
NOW \$2349.00

BE32141 – 467 and 567
NOW \$2289.00



TINES FOR JOHN DEERE RAKES

NUMBER	DESCRIPTION	APPLICATION	NOW
AE47389	Rubber Tine	54, 64, 74, 650, 652, 660, 662, 670, and 672	\$8.00
AE47390	Rubber Tine	75, 671, and 673	\$8.00
E56470	Steel Tine	54, 64, 74, 660, and 670	\$10.75
AE56204	Tine	700 and 705	\$7.75
E35277	Tine	702 and 704 Wheel Rakes	\$6.50
E95724	Tine	567 Wheel Rakes	\$3.25



SMALL SQUARE BALER PARTS

We know the drill: You need square bales that stack like bricks. And you need them as quickly as possible. Rely on your John Deere dealer for parts and service to keep you baling in the field, so you can finish up fast and get out of the field.

NUMBER	DESCRIPTION	APPLICATION	NOW
Pickup teeth:			
E41833	Baler tooth	327, 328, 336, 337, 338, 346, 347, 348, 466, 467, and 468	\$3.50
Knives:			
E17777	Stationary knife	328, 338, and 348	\$154.50
E42088	Plungerhead knife	328, 338, and 348	\$195.00
Needles:			
AFH202537	Needle (twine with guide)	328, 338, and 348	\$208.25
AFH202538	Needle (wire)	338 and 348	\$248.75
Fingers:			
AE50593	Finger (feeder)	328 and 338	\$472.75
AFH205877	Finger (tucker)	348	\$117.00
Knotter:			
AE70115	Repair kit	328, 338, and 348	\$353.25

DiamondTough™ Baler Belts

Stronger and longer lasting

Handle heavy shock loads and maintain consistent belt length with DiamondTough baler belts. They're more puncture- and tear-resistant than other belts because they're made from a patented, triple-warp weaving process of nylon, polyester, and monofilament materials. The special weave also increases the strength and reduces stretch. The result? Improved reliability and belt life.

Get the belt that won't bail on you no matter how tough the going gets. Ask us for the correct fit for your round baler.



This is just a partial sampling of John Deere round baler attachments. Please see us for complete listings and specific applications.

HAY & FORAGE PARTS

PICKUP TEETH

NUMBER	DESCRIPTION	APPLICATION	NOW
Round baler with regular pickup:			
E67036	6 in., 4 coil with bolt	Fits 410, 430, 500, and 510 model balers	\$3.50
E74678	6 in., 5 coil with Allen-head bolt	Fits 330, 335, 375, 430, 435, 530, and 535 model balers	\$3.50
E79475	7 1/4 in.	Fits 330, 335, 385, 435, 6, 7, 8, and 9 Series Round Balers	\$4.00
Round baler with MegaWide™ pickup:			
E90881	Left-hand	Fits 6, 7, 8, and 9 Series Round Balers	\$13.25
FH304576	Middle, MegaTough™ Square Tooth	Fits 6, 7, 8, and 9 Series Round Balers	\$8.75
E90880	Right-hand	Fits 6, 7, 8, and 9 Series Round Balers	\$13.25
Large square baler pickup:			
FH324064	Pickup Tooth	L330 and L340	\$7.50



WINDROW HAY MOISTURE TESTER

Now test hay **before you even start baling** with the portable Windrow Hay Moisture Tester from John Deere. You no longer have to make a bale and use a probe-style tester to determine if your hay is ready. Instead, just add loose hay to a five U.S. gallon bucket, press the tester into the hay and get a quick, accurate reading. See results in 30 to 60 seconds. Measuring range: 13- to 70- percent moisture. Accuracy range: +/- 2 to 4 percent.

NUMBER	DESCRIPTION	NOW
SW07140	Windrow Hay Moisture Tester	\$589.54

HAY TESTERS

NUMBER	DESCRIPTION	NOW
HANDHELD MOISTURE TESTERS:		
Moisture testers:		
SW16136	18-in. probe (testing range from 14 to 44 percent)	\$372.75
SW16326	32-in. probe (testing range from 14 to 44 percent)	\$410.75
Low-moisture:		
SW007320	20-in. probe (testing range from 8 to 44 percent)	\$448.75
SW007321	10-in. probe (testing range from 8 to 44 percent)	\$432.50
BALE-MOUNTED HAY TESTERS:		
SW07350	Tester mounts inside the baler for direct readout of moisture while baling (testing range from 8 to 44 percent)	\$490.25
SW007360	Advanced Baler-Mounted Hay Moisture Tester (BHT-2)	\$657.75

GoBale app

A must-have app for 9 Series Round Balers, GoBale provides quick reference overview of key adjustments, maintenance, and procedures, and lets you record observations and save them for future reference.

Download GoBale app on the [Apple App Store](#) or [Google Play Store](#)



HAYING PARTS SPECIALS

TWINE

110 KNOT STRENGTH POLY BLUE

40000PB

\$43.50
EACH

CLEAR FIELD TWINE

(Replacement for sisal)

20KCFT

\$36.50
EACH

180 KNOT STRENGTH POLY ORANGE

9600PO

\$38.50
EACH

210 KNOT STRENGTH POLY BLUE

7000PB

\$28.50
EACH

210 KNOT STRENGTH POLY ORANGE

7000PO

\$28.50
EACH

500 KNOT STRENGTH POLY ORANGE

4000PO

\$35.50
EACH

TREATED SISEL

16000S

\$80.25
EACH

COVEREDGE™

48" x 13,200 EDGE-TO-EDGE™

48NETWRAPTT

\$383.50
EACH

51" x 12,100 COVEREDGE™ TT+

51COVEREDGETT

\$362.50
EACH

64" x 9,700 EDGE-TO-EDGE™ TT+

64NETWRAPTT+

\$382.50
EACH

67" x 9,000 COVEREDGE™ TT+

67COVEREDEDGETT

\$360.00
EACH

HAY PRESERVATIVE

205L HAY PRESERVATIVE

0904

\$685.00
EACH

1100L HAY PRESERVATIVE

0909

\$3195.00
EACH

SILAGE WRAP 20 ROLLS/PALLET

1500 METERS 30" 25 MICRON WHITE - 5 LAYER

30F

\$109.50
EACH

1500 METERS 30" 25 MICRON GREEN - 5 LAYER

30FG

\$109.50
EACH

Prices subject to change at any time without notice.

+ Add more performance and precision with John Deere Sprayer attachments



1 Boom Cleanout

Mount this attachment on the ends of each boom section, then open to flush the system and avoid any clogging due to residue buildup.

Applications: 4630, 4700, 4710, 4720, 4730, 4830, 4920, 4930, and 4940 Sprayers

2 Amber Rotating Beacon Light

Add more visibility with these high-intensity lights, so you can stay productive longer.

Applications: 4630, 4730, 4830, 4940, R4023, R4030, R4038, and R4045

3 Direct Injection

Accurately inject chemicals into the carrier flow without having to mix them in the solution tank. No more rinsing the tank in between chemicals either.

Applications: 4940, R4030, R4038, and R4045 Sprayers

4 BoomTrac Pro™

Increase application accuracy and minimize spray drift and skips with the help of this boom height-sensing software that responds to ground contour changes. Five-sensor system recommended for 120-foot (36.6 m) boom or severe applications. Three-sensor system is for relatively flat to gently rolling terrain.

Applications: 4630, 4730, 4830, 4920, 4930, 4940, R4030, R4038, and R4045 Sprayers

5 Fence Row Nozzle Kit

Add more spray coverage along fencerows. With the XT nozzle, you can cover an additional 16.5 ft. (5.0292 m). It's as easy as flipping a switch in the cab. Spray nozzles sold separately.

Applications: 4630, 4700, 4710, 4720, 4730, 4830, 4930, 4940, R4023, R4030, R4038, and R40458 Sprayers

6 Wheel Motor Shields

These shields help keep the crop and mud away from the inside of the wheel motor for easier cleaning and added protection from field debris.

Applications: 4720, 4730, 4830, 4920, and 4930 Sprayers

7 Crop Shields

Strong, durable, polyethylene wheel shields are available for 320, 380, and 420 tires to help prevent damage to crops.

Applications: 4630, 4710, 4720, 4730, 4830, 4920, 4930, 4940, R4023, R4030, R4038, and R4045 Sprayers

JohnDeere.com/SprayerParts

See us today for a complete listing of sprayer attachments

SPRAYER PERFORMANCE UPGRADES

EXPRESS™ NOZZLE BODY END CAPS

With its removable end plug, it's easy to flush debris from the boom pipe, making boom cleanout a breeze.

NUMBER	DESCRIPTION	NOW
PM7433314	1-in. Express Cap Fitting w/ Nozzle Body End Cap (high flow)	\$48.25
PM7433316	1-in. Express Cap Fitting w/ Nozzle Body End Cap (standard)	\$48.25
PM34300790	Clamp and Hardware Kit with Pipe O-rings for high flow and standard	\$15.25

FENDERS

Keep mud, rocks, and crop debris from being thrown on your sprayer and operator station. Durable fenders extend the full width of your tire for maximum protection.

NUMBER	APPLICATION
BN202582	4630 and R4023
BN202583	4630 and R4023
BN202345	4710, 4720, 4730, and 4830
BN400383	4940

[SEE US FOR PRICING](#)

UNDERFRAME SHIELDS

Simply mount these shields to the underside of the chassis to help protect your crop from entanglement in vehicle components. Shields are mounted on hinges to allow quick, easy access to vehicle components.

NUMBER	APPLICATION
BN202606	4630
BN202453	4730 (s/n 4939 and below) and 4830 (s/n 3382 and below)
BN202593	4730 (s/n 4940-8000) and 4830 (s/n 3383-8000)
BN202613	4730 and 4830 (s/n 8001 and up)
BN400415	4940
BKK10284	R4023
BKK10017	R4030, R4038, and R4045

[SEE US FOR PRICING](#)

QUICKLUB AUTOMATIC LUBRICATION SYSTEM

Add more confidence to spraying the field with this kit that automatically meters the right amounts of grease to 75 lube points, including the chassis and boom, as you go. By purging contaminants, this kit delivers excellent lubrication of wear surfaces and a solid grease seal for extra protection.

Applications: 4630, 4730, 4830, 4920, 4930, 4940, R4023, R4030, R4038, and R4045 Sprayers.

QuickLub is a registered trademark of Lincoln Industrial.

[SEE US FOR PRICING](#)



Technozzlegy
[tek-noz'-uhl-jee]

Improve Plant Health with spot-on coverage from every angle

EXPRESS BOOM ASSEMBLY

Pre- and Post-Emerge Fertilizer

Wide Angle, Drift Reducing



High-Flow

- Wide 140-degree, extremely coarse, fan spray pattern maximizes uniformity and consistency on wide or narrow spacing for pre-plant.

Six Stream



Straight Stream Ceramic

- Six streams evenly distribute fertilizer
- Reduced atomization limits leaf burn/scorching

Pre- and Post-Emerge Herbicide

Drift Reducing, Dual Air Induction



Ultra Low-drift

- Patented venturi technology creates air-filled droplets in a unique, thick pattern to greatly reduce drift.

Post-Emerge Plant Health

Enhanced Coverage



Guardian™

- Good for application of post-emerge plant health protectants

Twin Enhanced Coverage, Air Induction



Guardian™ Air Twin

- Ideal for high-coverage application of post-emerge plant health protectants

Enhanced Coverage, Air Induction



Low-drift Air

- Ideal for on-target application of post-emerge plant health protectants

Targeted spraying yields greater Plant Health

Herbicide resistance is a big issue these days. And while we can't help you make decisions about chemicals or farm practices, we can offer you nozzles engineered for pinpoint accuracy thanks to Technozzlegy. So when you spray, you reach the exact part of the plant you're aiming for—minimizing weeds, insects and fungus while maximizing nutrients.

Let us help you take the guesswork out of nozzle selection. Just log on to our site, input a few specifics about your particular application, and the best nozzle for the job displays. Make your purchase with just a few more clicks.

JohnDeere.com/nozzleselector
JohnDeere.com/technozzlegy



It's time to lower the boom on old, worn-out poly.

With an **Express Boom Assembly** kit from John Deere, you can **replace warped poly booms** with durable stainless steel, or **change nozzle spacing** as desired to maximize your sprayer performance for years to come. But that's not all. Other features and benefits include:

- Stainless Steel Pipes**
Promote even spray patterns and minimize cross contamination.
- 5-Way High-flow Nozzle Body**
Deliver the highest flow rates and support faster field speeds.
- Express Nozzle Body End Cap**
Reduce risk of residue buildup and eliminate trapped air.

Customize whole boom sections easily—and economically—on sprayer models **4630, 4700, 4710, 4720, 4730, 4830, 4920, 4930, and 4940.**

Ask about current
financing specials
when you use your
John Deere Financial
Multi-Use Account.

PROTECT YOUR CROPS & EQUIPMENT



GET SUPERIOR CLEANING POWER WITH LEADING SPRAY SYSTEM CLEANERS

A lot has changed in the past decade. Bigger sprayers, more powerful crop protection products, and increased tank mixing can lead to cross contamination and reduced yields when sprayers aren't cleaned properly.

Ordinary tank cleaners were never designed to remove oily residues that can build up throughout the entire liquid system of a sprayer. Erase™ is a powerful spray system cleaner that

exceeds the capabilities of ordinary tank cleaners. Erase emulsifies oily residues in tanks, sprayer lines, and hoses while elevating rinsate pH to degrade vulnerable crop protection products. Combined with good sprayer cleaning technique, Erase virtually eliminates the risk of cross-contamination that leads to crop injury complaints, yield loss, and a damaged reputation as a professional applicator.

ERASE

Powerful spray system cleaner that penetrates and removes dried-on and oily residue in tanks, sprayer lines, and hoses to help prevent cross contamination.

NUMBER	DESCRIPTION	SIZE	NOW
PM433QT	Erase Spray System Cleaner	1 qt.	\$22.75

INCIDE-OUT™

Liquid spray tank cleaner that emulsifies and bonds pesticide residue to rinse water for complete purging.

NUMBER	DESCRIPTION	SIZE	NOW
PM434QT	Incide-Out Spray Tank Cleaner	1 qt.	\$23.25

ENDURON PSI™

Formulated marking foam that generates greater volumes of foam for higher operating pressures and application speeds.

NUMBER	DESCRIPTION	SIZE	NOW
PM65201	Enduron PSI	1 gal.	\$65.75

TRACER™ HOT PINK

Marking foam colorant that increases foam visibility in drilled crops and heavy residue situations where optical clarity of white foam is limited.

NUMBER	DESCRIPTION	SIZE	NOW
PM741QT	Tracer Hot Pink	1 qt.	\$69.00

GUNDOWN MAX™

Defoaming agent that works in seconds to provide faster results.

NUMBER	DESCRIPTION	SIZE	NOW
PM737QT	Gundown Max	1 qt.	\$38.25



HARVEST SALE

ON SELECT PRE-OWNED EQUIPMENT ONLY

Offer Expires July 20th, 2016. No rain checks or extensions first come first served. Financing and Powerguard Extended Warranty available, call or visit us in store for details.



2014 JOHN DEERE S680 COMBINE

306 Eng Hrs 254 Sep Hrs / 615P Pickup / Variable Stream Rotor / Fine Cut Chopper / 520/85R42 Duals / Complete Auto Trac Package with 2630 Monitor / Grande Prairie

SALE \$398,000

1H0S680SVD0765613



2014 JOHN DEERE S680 COMBINE

320 Eng Hrs 235 Sep Hrs / 615P Pickup / Variable Stream Rotor / Fine Cut Chopper / 520/85R42 Duals / Complete Auto Trac Package with 2630 Monitor / Grande Prairie

SALE \$398,000

1H0S680SKD0765607



2014 JOHN DEERE S690 COMBINE

244 Eng Hrs 168 Sep Hrs / 36" Tracks / Rear Wheel Drive / Variable Stream Rotor / Fine Cut Chopper / Leather Seat Package / Complete Auto Trac System with 2630 Monitor / Grande Prairie

SALE \$466,000

1H0S690SPE0765502



2010 JOHN DEERE 9870 COMBINE

1252 Eng Hrs 970 Sep Hrs / 650/85R38 Duals / 28L26 Rear Tires / Rear Wheel Drive / Contour Master / Colour Video Camera / Xenon Lighting / High Capacity Feeding Package / Dawson Creek

SALE \$216,500

1H09870SJA0735782



2009 JOHN DEERE 4895

971 Eng Hrs / 23.1R26 Bar Drive Tires / 36' Honey Bee Draper Header / 1800 Monitor, Steering Wheel and SF1 / Dawson Creek

SALE \$61,900

E04895X350301



2012 MACDON M155 SWATHER

604 Eng Hrs / D60S 35' Draper Header / In Board and Out Board Skid Shoes / No Transport Wheels / Fairview

SALE \$119,900

219961-12



START OFF RIGHT

LET OUR PRAIRIECOAST EQUIPMENT SERVICE PROS GET YOU RUNNING QUICKLY AND AFFORDABLY WITH OUR TOP-QUALITY BATTERIES.

An independent test found that PrairieCoast (East Penn) group 31 batteries outperformed two major competitive brands for Vibration Resistance and Longer Life.

Ask us about our full line of batteries, chargers, and accessories. You'll find just what you need for farm, ranch, commercial lawn and garden equipment, vehicles and more. We have what it takes to get you off to the right start.

East Penn Manufacturing's computer-controlled, closed-loop system, co-located with our manufacturing facilities, recycles virtually 100% of each spent battery received for processing.

Our EPA-approved lead smelter & refinery recycles an average of 30,000 batteries per day, or 17 million batteries per year.



GEL (OR GELLED ELECTROLYTE) TECHNOLOGY

Gel batteries are classified as a valve regulated lead-acid (VRLA) battery, which uses a one way pressure relief valve system to achieve a "recombinant technology" that never needs watering and should never be opened.

WHAT IS GEL TECHNOLOGY?

The electrolyte in a Gel battery is permanently locked in a highly viscous gelled state instead of the traditional liquid form. Because there is no liquid-type electrolyte, it will not leak out of the battery if tipped on its side. The thick, gelled electrolyte and tightly packed plates also protect the battery's power producing components. Gel battery designs have a superior deep discharge resiliency and can deliver two to three times the cycle life of an AGM product in the right applications.



GEL
TECHNOLOGY



PRAIRIECOAST DIFFERENCE

Our relationship doesn't end once you leave the dealership. All of our equipment, parts, service, and inspections are backed by warranties that are second to none. We stand behind our commitment to help you perform better.



GREASE

John Deere grease is specifically formulated to meet the demanding lubricating needs for tough off-road and on-road conditions. The right high-quality John Deere grease could save you money through longer equipment life, reduced downtime, and lower equipment operational cost.

Best Multipurpose SD polyurea grease and Extreme-Duty synthetic grease:

- John Deere's best multipurpose grease; ideal for high temperatures and extreme pressures
- Used for U-joints, wheel bearings, and other grease points requiring severe-duty grease

NUMBER	DESCRIPTION	SIZE
Multi-purpose grease:		
CXY24419	Multipurpose SD polyurea grease	3-oz. twin pak
TY6341	Multipurpose SD polyurea grease	14-oz. cartridge
TY25744	Synthetic grease	
TY24416	Multipurpose HD lithium complex grease	14-oz. cartridge
PT507	Multipurpose lithium grease	14-oz. cartridge
Specialty-purpose grease:		
TY24425	Heavy-duty water-resistant grease	14-oz. cartridge
AN102562	Corn head grease	14-oz. cartridge
TY6333	Moly high-temperature EP grease. For use in heavy loads for pin-to-bushing contact. Great for construction equipment.	14-oz. cartridge
TY25083	Golf and turf cutting unit grease	14-oz. cartridge
TY27373	Calcium Sulfinate 5% Moly	15-oz. cartridge

[SEE US FOR PRICING](#)

GREASE GUNS

Top-of-the-line grease guns designed to handle punishing day-in and day-out work in automotive, workshop, agricultural, and industrial applications. Application for general-purpose lubrication in automotive, workshop, agricultural, and industrial applications.

NUMBER	DESCRIPTION
TY26288	Heavy-duty silver lever grease gun
TY26689	Heavy-duty silver Pistol-Grip grease gun
TY26517	Pistol-Grip grease gun
TY26518	Lever grease gun
TY26519	Air-operated grease gun
TY26200	Mini Pistol-Grip grease gun
TY26844	Heavy-duty grease gun bracket
TY26698	12V battery powdered grease gun, NiCad batteries
TY26699	14.4V battery powdered grease gun, NiCad batteries
TY27023	18V battery powdered grease gun. Lithium-ion battery plus will pump 27 grease cartridges per battery charge.

[SEE US FOR PRICING](#)

HOME & WORKSHOP PRODUCTS

SHOP TOWELS

Start out clean. Toss when done.

Maybe you think that old shop rag of yours is doing the trick, but look at it - it's already dirty. Start fresh each time with John Deere hand towels.

NUMBER	DESCRIPTION
DRC4223	Shop towels, 200 count, center-pull box
DRC4221	Shop towels, 200 count, bucket with dispensing bracket
DRC4222	Shop towels, 200 count, bucket refill
DRC4601	Shop towels, 56 count, single roll
DRC4602	Shop towels, 56 count, single roll, three pack

SEE US FOR PRICING

ABSORBENTS

The absorbent mats will handle everything that may leak, drip or spill on any shop floor. Save time and money by eliminating the need to mop or sweep up spills, plus these mats are cheaper to use than old fashioned floor dry/kitty litter.

FEATURES


- Absorbs oil, water, grease, transmission fluids, hydraulic fluids, antifreeze/coolants, and many other fluids
- For use in general maintenance, around hose machines, and wherever fluids may leak or spill
- Works great in fields dealing with leaks, drips, or spills
- Made with 80% recycled cellulose fibers to create superior absorbency
- More cost effective than oil-based polypropylene sorbent mats
- Class A fire retardant (lab tested per ASTM E84)

NUMBER	DESCRIPTION
ABS2860	15 x 19-in. sheet size, 100 count/case
ABS2861	Perforated roll, 28.5-in. x 150-ft. roll, 15 x 19-in. perf sheet size
ABS2862	Absorbent socks, 3-in. x 4 ft., 40 count/case

SEE US FOR PRICING



Get the right hose in one quick trip.
Get back in the field right away.



Rely on your PrairieCoast equipment dealer for hose assemblies that fit the exact specifications of your machine, whether it's a John Deere or some other brand.




Parker is a trademark of Parker Hannifin.

JDParts.JohnDeere.com

TOLL FREE 1.877.553.3373
PRAIRIECOASTEQUIPMENT.COM

GRANDE PRAIRIE 15102-101 Street 780.532.8402 DAWSON CREEK 81 Rolla Road 250.782.4141
FAIRVIEW 11520-101 Avenue 780.835.4440 LA CRETE 10501-100 Street 780.928.3337



John Deere's green and yellow color scheme, the leaping deer symbol, and JOHN DEERE are trademarks of Deere & Company.



WIN THE USE OF A GATOR FOR ONE YEAR

HOW DO YOU SPEND YOUR YEAR WITH DEERE?

Show us how you spend your year with deere for a chance to be featured in our 2017 calendar and an entry to win the use of 2016 Gator 590i for one year. Use the hashtag #yearwithdeere on Facebook, Instagram and Twitter or email us your photo entries to marketing@pcequip.ca.

See in store for contest rules & regulations



GRANDE PRAIRIE
15102-101 Street
780.532.8402

FAIRVIEW
11520-101 Avenue
780.835.4440

LA CRETE
10501-100 Street
780.928.3337

DAWSON CREEK
81 Rolla Road
250.782.4141

PERFORM BETTER

TOLL FREE 1.877.553.3373
prairiecoastequipment.com